

ROMWELL & ARRIER, INC.		TEST BORING REPORT				HOLE NO. LB-9	
PROJECT: LONGBOAT KEY						FILE NO. 8102	
CLIENT: ATM						SHEET NO. 1 of 2	
CONTRACTOR: TET						LOCATION:	
GROUNDWATER						ELEVATION:	
DEPTH TO:		CASING		SAMPLER		CORE BARREL	
DATE	TIME	WATER	BOTTOM OF CASING	BOTTOM OF HOLE	TYPE:		
3/13	1:50 PM	+0.6			SIZE I.D.:	1 3/8"	
					HAMMER WT.:	140#	
					HAMMER FALL:	30"	
DATE START: 3-13-89						DATE FINISH: 3-13-89	
DRILLER: JAY						INSPECTOR: MBR	
FIELD CLASSIFICATION AND REMARKS							
WATER DEPTH 27'7" @ 10:40 AM (START)							
WATER DEPTH 28'5" @ 1:35 PM (FINISH)							
5							
10							
15							
20							
25							
30							
15							
11						SP/SM	
COMPACT GREY SL. SILTY VERY FINE GR. SAND W/TRACE OF SHELL							
BLOWS/FT.		DENSITY		BLOWS/FT.		CONSISTENCY	
0-4		VERY LOOSE		0-2		VERY SOFT	
4-10		LOOSE		2-4		SOFT	
10-30		COMPACT/M. DENSE		4-8		FIRM	
30-50		DENSE		8-15		STIFF	
50+		VERY DENSE		15-30		VERY STIFF	
SAMPLE IDENTIFICATION							
S _____ SPLIT SPOON							
T _____ THIN WALL TUBE							
U _____ UNDISTURBED PISTON							
O _____ OPEN END ROD							
W _____ WASH SAMPLE							



FROMWELL &  
CARRIER, INC.

# TEST BORING REPORT

HOLE NO. LB-9

PROJECT: LONGBOAT KEY

CLIENT: ATM

CONTRACTOR: TET

FILE NO. 8102

SHEET NO. 2 of 2

LOCATION: \_\_\_\_\_

ELEVATION: \_\_\_\_\_

DATE START: 3-13-89

DATE FINISH: 3-13-89

DRILLER: JAY

INSPECTOR: MRB

## GROUNDWATER

## DEPTH TO:

## CASING

## SAMPLER

## CORE BARREL

DATE	TIME	WATER	BOTTOM OF CASING	BOTTOM OF HOLE

TYPE:

SIZE I.D.:

HAMMER WT.:

HAMMER FALL:

SPT

1 3/8"

140#

30"

EPH	SAMP. NO.	CASING BLOWS PER FOOT	SAMPLER BLOWS PER 6 INCHES	SPT BLOWS PER FOOT	STRATA CHANGE
-----	-----------	-----------------------	----------------------------	--------------------	---------------

## FIELD CLASSIFICATION AND REMARKS

35-	2		1	2	SM	VERY LOOSE GREY SILT W/ SOME FINE GR. SAND & TRACE OF SHELL
			1			
			2			
			2			
			3			
	3		28	31		
			49			
			5			
			13			
	4		30	43		
40-			30		LR/ SHELL	DENSE GREY-TAN SILT & VERY FINE GR. SAND & PARTLY CEMENTED SHELL
			13			
			18			
			12			
	5		38	30		
			6			
			21			
			31			
	6		50	52		
45-						SAME W/ TRACE OF LIMEROCK
						DENSE LT. TAN SILT & PARTLY CEMENTED SHELL & LIMEROCK
						SAME, VERY DENSE, MORE SILT
						BOH @ 39.5'

BLOWS/FT.

DENSITY

BLOWS/FT.

CONSISTENCY

SAMPLE IDENTIFICATION

0 - 4 VERY LOOSE  
4 - 10 LOOSE  
10 - 30 COMPACT/M. DENSE  
30 - 50 DENSE  
50 + VERY DENSE

0 - 2 VERY SOFT  
2 - 4 SOFT  
4 - 8 FIRM  
8 - 15 STIFF  
15 - 30 VERY STIFF

S \_\_\_\_\_ SPLIT SPOON  
T \_\_\_\_\_ THIN WALL TUBE  
U \_\_\_\_\_ UNDISTURBED PISTON  
O \_\_\_\_\_ OPEN END ROD  
W \_\_\_\_\_ WASH SAMPLE

