

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1	
1. PROJECT DADE COUNTY SPP				10. SIZE AND TYPE OF BIT 3 1/2" Drive Shoe			
2. LOCATION (Coordinates or Station) X=79879.7.9 Y=49380.3.2				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY ALPINE OCEAN-SURVEY, INC.				12. MANUFACTURER'S DESIGNATION OF DRILL VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-188				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER NICK PRICE				14. TOTAL NUMBER OF CORE BOXES 1			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER Tide = +?			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 7/4/96 1354			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -33.2 Ft.			
9. TOTAL DEPTH OF HOLE 11.5 Ft.				18. TOTAL CORE RECOVERY FOR BORING 96 %			
				19. SIGNATURE OF GEOLOGIST ROCKLAND BURR			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC X	SAMPLE NUMBER	REMARKS	
-33.2	0					-33.2	0
			Sand, fine to medium grained, light brown, a little shell fragments (SP)			Lat-Lon 25 41 21.8N 80 05 33.7W Laboratory Data Depth USCS SpG. 2.0 SP 8.0 SP-SM	2.5
-38.0	4.8		Sand, fine to medium grained, light brown, with shell fragments, pieces of coral (SP-SM)				5
-44.2	11.0		Limestone, tan (LM)				10
-44.7	11.5		End of Boring				12.5
			Soils are field visually classified in accordance with the United Soils Classification System.				15
							17.5
							20
							22.5