




DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1	
1. PROJECT DADE COUNTY SPP				10. SIZE AND TYPE OF BIT 3 1/2" Drive Shoe			
2. LOCATION (Coordinates or Station) X=79757.18 Y=50050.6.0				11. DAY ON FOR ELEVATION SHOWN (TBM or HSL) MLW			
3. DRILLING AGENCY ALPINE OCEAN SURVEY, INC.				12. MANUFACTURER'S DESIGNATION OF DRILL VIBRACORE			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-177				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
5. NAME OF DRILLER NICK PRICE				14. TOTAL NUMBER OF CORE BOXES 2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				15. ELEVATION GROUND WATER Tide = +1.8			
7. THICKNESS OF BURDEN 0 Ft.				16. DATE HOLE STARTED COMPLETED 7/4/98 0859/0901			
8. DEPTH DRILLED INTO ROCK 0 Ft.				17. ELEVATION TOP OF HOLE -32.8 Ft.			
9. TOTAL DEPTH OF HOLE 19.9 Ft.				18. TOTAL CORE RECOVERY FOR BORING 88 %			
19. SIGNATURE OF GEOLOGIST ROCKLAND BURR							
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC X	SAMPLE NUMBER	REMARKS	
-32.8	0		Sand, fine to medium grained, light brown, a little shell fragments (SP)			-32.8	0
						Lat-Lon 25 42 28.3N 80 05 47.0W	2.5
						Laboratory Data Depth USCS SpG. 3.5 SP 8.5 SP-SM 10.5 SP-SM 12.0 SM	5
-40.6	8.0		Sand, fine grained, light brown, trace of shell fragments (SP-SM)				7.5
-42.0	10.0		Sand, fine to medium grained, light brown, some shell fragments (SP-SM)				10
-43.5	10.9		Silty sand, fine grained, light brown, few shell fragments (SM)				12.5
							15
							17.5
-52.5	19.9		End of Boring				20
			Soils are field visually classified in accordance with the Unified Soils Classification System.				22.5

# U.S. STANDARD SIEVE SIZE








GRAVEL		SAND			SILT	CLAY
COARSE	FINE	COARSE	MEDIUM	FINE		

SAMPLE LOCATION	DEPTH	SYMBOL	UNIFIED CLASS.
CB-DAC-177	8.5	●	SP-SM

## GRAIN-SIZE DISTRIBUTION



Dade County SSP

DRAWN BY: QDS	CHECKED BY:	DATE: August, 1996
FILE NO. 86-028	APPROVED BY:	SIGNATURE:

01000-G22

# U.S. STANDARD SIEVE SIZE

