

Hole No. CB-DAC-183

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1	
1. PROJECT DADE COUNTY SPP		South Atlantic		Jacksonville District			
2. LOCATION (Coordinates or Station) X=79793.3,4 Y=49558.6,3				10. SIZE AND TYPE OF BIT 3 1/2" Drive Shoe			
3. DRILLING AGENCY ALPINE OCEAN SURVEY, INC.				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-183				12. MANUFACTURER'S DESIGNATION OF DRILL VIBRACORE			
5. NAME OF DRILLER NICK PRICE				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN disturbed: 0 undisturbed: 0			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				14. TOTAL NUMBER OF CORE BOXES 2			
7. THICKNESS OF BURDEN 0 Ft.				15. ELEVATION GROUND WATER Tide = +2.8			
8. DEPTH DRILLED INTO ROCK 0 Ft.				16. DATE HOLE STARTED COMPLETED 7/5/96 1500/1502			
9. TOTAL DEPTH OF HOLE 19.9 Ft.				17. ELEVATION TOP OF HOLE -37.7 Ft.			
				18. TOTAL CORE RECOVERY FOR BORING 88 %			
				19. SIGNATURE OF GEOLOGIST ROCKLAND BURR			
ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS (Description)	CORE REC %	U S S A M P L E N U M B E R	REMARKS	
-37.7	0					-37.7	0
			Sand, fine to coarse grained, light brown, mostly shell fragments (SP)			Lat-Lon 25 41 39.5N 80 05 43.0W	2.5
-41.0	3.3		Sand, fine to medium grained, light brown, mostly shell fragments (SP-SM)			Laboratory Data Depth USCS SpG 2.5 SP 4.0 SP-SM 8.0 SM 16.0 SM	5
-43.6	5.9		Silty sand, fine grained, light brown, mostly shell fragments (SM)				7.5
							10
							12.5
							15
							17.5
-57.6	19.9		End of Boring				20
			Soils are field visually classified in accordance with the Unified Soils Classification System.				22.5