

COBBLE	PEBBLE				SAND					SILT
					VERY CRS.	CRS.	MED.	FINE	V. FINE	







Figure A-21: Comparison of borrow area (PK-21) and native beach grain size distributions, Perdido Key, FL.



Gravel		Sand					Silt and Clay						
Coarse		Fine		Coarse	Medium	Fine							
Sample	Symbol	Elev. (ft)	USCS	% Fines #200 - 2.06 #230 - 1.98	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-21 #6.0	—●—	-28.7	SP				2.23	2.01	-2.12	9.25	0.89	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	08-08-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 ph 321 254-2708 fax 321 254-2708												Easting (X, ft):	1,027,994
												Northing (Y, ft):	470,770
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88





Gravel				Sand				Silt and Clay					
Coarse		Fine		Coarse	Medium	Fine							
Sample	Symbol	Elev. (ft)	USCS	% Fines #200 - 0.84 #230 - 0.81	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-21 #Comp	—●—	-40.7	SP			6.43	1.96	1.78	-1.15	5.84	0.75	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	07-14-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
						Scientific Environmental Applications 5575 Willoughby Drive Melbourne, FL 32934 ph 321 254-2708 fax 321 254-2708						Easting (X, ft):	1,027,994
												Northing (Y, ft):	470,770
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88