





**Figure A-29:** Comparison of borrow area (PK-29) and native beach grain size distributions, Perdido Key, FL.







Gravel			Sand				Silt and Clay						
Coarse		Fine	Coarse	Medium	Fine								
Sample	Symbol	Elev. (ft)	USCS	% Fines	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-29 #12.0	—●—	-34.3	SP	#200 - 1.05 #230 - 1.02			1.09	1.13	0.33	5.04	0.6	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	08-11-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
												Easting (X, ft):	1,023,011
												Northing (Y, ft):	473,955
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88



Gravel		Sand			Silt and Clay	
Coarse	Fine	Coarse	Medium	Fine		

Sample	Symbol	Elev. (ft)	USCS	% Fines	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
PK-29 #Comp	—●—	-35.3	SP	#200 - 1.41		6.58	1.26	1.12	-0.91	5.97	0.85	Project Name:	Escambia County, FL Sand Search 05
Comments:												Analysis Date:	07-22-05
Depths and elevations based on measured values												Analyzed By:	SEA Inc.
												Easting (X, ft):	1,023,011
												Northing (Y, ft):	473,955
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88

Scientific Environmental Applications  
5575 Willoughby Drive  
Melbourne, FL 32934  
ph 321 254-2708  
fax 321 254-2708