

DRILLING LOG		DIVISION South Atlantic		INSTALLATION Jacksonville District		SHEET 1 OF 1 SHEETS	
1. PROJECT Dade County Beach Restoration				10. SIZE AND TYPE OF BIT See remarks			
2. LOCATION (Coordinates or Station) X=799,434 Y=559,089				11. DAYUM FOR ELEVATION SHOWN (TBM or MSL)			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Alpine Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-120				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED : UNDISTURBED :			
5. NAME OF DRILLER F. R. Lagrone				14. TOTAL NUMBER CORE BOXES 1			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE STARTED : 8 Jun 76 COMPLETED : 8 Jun 76			
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE -68.1			
9. TOTAL DEPTH OF HOLE 20.0'				18. TOTAL CORE RECOVERY FOR BORING 100 %			
				19. SIGNATURE OF INSPECTOR XXXXXXXXX GEOLOGIST: C. Dreves			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVER- ERY e	SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-68.1	0.0					BIT OR BARREL -68.1	
			SAND, fine to medium, pulverized shell and some quartz, silty (SM) 0.4' thick lens of coral at -74.1	100	1	3-1/2" I.D. Vibracore	
-88.1	20.0						
			NOTES: 1. Sample removed from Vibracore tube, logged and placed in "NX" core box. 2. Sample No. refers to samples sent to SAD Laboratory for grain size analysis. 3. Classification of granular material based on laboratory analysis.				