

Hole No. CB-MC99-8

DRILLING LOG		DIVISION SOUTH ATLANTIC	INSTALLATION JACKSONVILLE DISTRICT	SHEET 1 OF 1 SHEETS
1. PROJECT MARTIN COUNTY		10. SIZE AND TYPE OF BIT 4" dia. Vibracore		
2. LOCATION <i>(Coordinates or Station)</i> X 775153 Y 1046841		11. DATUM FOR ELEVATION SHOWING @ MLLW		
3. DRILLING AGENCY WILMINGTON DISTRICT		12. MANUFACTURER'S DESIGNATION OF DRILL VIBRA-CORE (SNELL)		
4. HOLE NO. <i>(As shown on drawing title and 1/4" reduced)</i> CB-MC99-8		13. TOTAL NO. OF OVER- BURDEN SAMPLES TAKEN		
5. NAME OF DRILLER JERRY FULCHER CRANE OPERATOR		14. TOTAL NUMBER CORE BOXES N/A		
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER N/A		
7. THICKNESS OF OVERBURDEN N/A		16. DATE HOLE STARTED 08/25/99		
8. DEPTH DRILLED INTO ROCK 0.0'		17. ELEVATION TOP OF HOLE -31.4 MLLW		
9. TOTAL DEPTH OF HOLE 20.0'		18. TOTAL CORE RECOVERY FOR BORING N/A		
		19. SIGNATURE OF INSPECTOR Bob Keistler, PE		

ELEVATION MLLW	DEPTH feet	LEGEND	CLASSIFICATION OF MATERIALS <i>(Description)</i>	% CORE RECOV- ERY	BOX OR SAMPLE NO.	REMARKS <i>(Drilling time, water, mud, depth of weathering, etc. & signature)</i>
-31.4	0		SAND-POORLY graded SILTY, FINE TO medium, GRAY, WITH SHELL FRAGMENTS (sp-sm)		0.1'	Time Begin Vibracoring: 13:45 hrs.
	2				0.6'	Soils field classified by Larry Benjamin, Civil Engineer Technician
	4				3.6'	NOTE: Scale changed at 10.0'
	5.9				2	
					4.1'	
-37.3	5.9		ASSUMED NOT RECOVERED			
	8					
	10					
	15					
-51.4	20		BOTTOM OF HOLE AT 20.0' SOILS ARE FIELD VISUALLY CLASSIFIED IN ACCORDANCE WITH THE UNIFIED SOIL CLASSIFICATION SYSTEM			

VIBRACORE BORING

From 0.0' to 20.0'
Ran: 20.0' Rec: 5.9'

PRELIMINARY