



 <b>olsen</b> associates, inc. Coastal Engineering		PROJECT: <b>BREVARD COUNTY SAND SEARCH</b>			CORE NO.: <b>6</b>		
		DRILLER: <b>A.O.S.S.</b>			DATE OF HOLE: <b>7/18/89 9:08</b>		
		LOG BY: <b>F.I.T. Civil/Bacchus</b>			O.A. REP.: <b>Wm. Buckingham, P.E.</b>		
		DEPTH OF WATER: <b>35.8'</b>			X- <b>636092</b>		
		DEPTH OF HOLE: <b>19.5'</b>			Y- <b>1466002</b>		
ELEVATION	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% CORE RECOVERY	SAMPLE NO.	REMARKS	
	1		Sand, fine to med, quartz & shell, little shell & shell frags to 2 in., little clay, gray (SC)	100%			
	2		1.0 - 1.1', shell sand (SW-SC)				
	3		Clay, firm, trace whole & broken shells up to 2 in, gray (CH)				
	4		Shell sand, fine qtz sand, little shell & shell frags to 2 in, little clay, gray (SC)	100%			
	5						Clay, firm, trace whole & broken shells up to 2 in., gray (CH)
	6						
	7			Clay, firm, trace fine qtz, trace shell whole & broken shells up to 2 in., sandy zones, gray (CH)			100%
	8	100%					
	9						
	10				100%		12.7' cut
	11						
	12						
	13			Shell sand, fine to med qtz sand, little shell & shell frags up to 2 in., little clay, gray (SC)	100%		
	14		100%				
	15						
	16	Clay, firm, trace fine qtz sand, little whole & broken shells up to 2 in, sandy zones, gray (CH)		100%			
	17						
	18						
	19		19.4' to 19.8' sand, med to coarse qtz sand, trace shell, little clay (SC)	100%			
	20		TD 19.8 ft				