

DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1 SHEETS
1. PROJECT Palm Beach County Vibracore 2004 Palm Beach County, Florida			9. SIZE AND TYPE OF BIT 4.0 In.	
2. BORING DESIGNATION BB04-27			10. COORDINATE SYSTEM/DATUM Florida State Plane East	
LOCATION COORDINATES X = 968,689 Y = 786,540			HORIZONTAL NAD 1983 VERTICAL NAVD 29	
3. DRILLING AGENCY Alpine OSS, Inc		11. MANUFACTURER'S DESIGNATION OF DRILL <input type="checkbox"/> AUTO HAMMER Alpine Pneumatic Vibracore <input type="checkbox"/> MANUAL HAMMER		
CONTRACTOR FILE NO.		12. TOTAL SAMPLES 4 DISTURBED 4 UNDISTURBED (UD) 0		
4. NAME OF DRILLER SEA INC			13. TOTAL NUMBER CORE BOXES 2	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED			14. ELEVATION GROUND WATER	
DEG. FROM VERTICAL			15. DATE BORING 05-24-04 STARTED 05-24-04 COMPLETED 05-24-04	
BEARING			16. ELEVATION TOP OF BORING -37.1 Ft.	
6. THICKNESS OF OVERBURDEN 0.0 Ft.			17. TOTAL RECOVERY FOR BORING 18.9 Ft.	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.			18. SIGNATURE AND TITLE OF INSPECTOR Gary Zarillo PG	
8. TOTAL DEPTH OF BORING 19.0 Ft.				

ELEV.	DEPTH	LEGEND	CLASSIFICATION OF MATERIALS	% REC.	BOX OR SAMPLE	REMARKS
-37.1	0.0					
					0.5	Sample #0.5, Depth = 0.5
					4.0	Sample #4.0, Depth = 4.0
			Gray (10YR-6/1), Gray fine quartz sand, free of carbonate sand, few scattered shell fragments in fine gravel range, (SP).		8.0	Sample #8.0, Depth = 8.0
-47.1	10.0				12.0	Sample #12.0, Depth = 12.0
			Gray (10YR-6/1), Gray fine quartz sand, few scattered shell fragments and whole shells in fine to medium gravel range, (SP).			
-56.0	18.9				Comp	Sample #Comp, Depth = 19.0 Composite 0-16.0 ft.
			End of Boring			

FLORIDA DEP ROSS BRINY BREEZES.GPJ FL DEP ROSS.GDT 11/12/04