

DRILLING LOG		DIVISION		INSTALLATION		SHEET	
		South Atlantic		Jacksonville District		OF 1 SHEETS	
1. PROJECT Dade County Beach Erosion				10. SIZE AND TYPE OF BIT NA			
2. LOCATION (Coordinates or Station) X=799,495 Y=542,694				11. DATUM FOR ELEVATION SHOWN (TBM or MSL) MLW			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Vibracore			
4. HOLE NO. (As shown on drawing title and file number) CB-DAC-1C				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER R. Gordon				14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER Tidal		16. DATE HOLE STARTED 26 May 78 COMPLETED 26 May 78	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE -66.0			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING 100 %			
9. TOTAL DEPTH OF HOLE 13.9'				19. SIGNATURE OF INSPECTOR Geologist: D. Rosen			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
-66.0	0.0					BIT OR BARREL -66.0	
			SAND, light gray, fine to medium, shell sand with a trace of quartz, coral at -79.7. (SP-SM)			VIBRACORE	
-79.9	13.9					-79.9	
<p>NOTES:</p> <p>1. Sample removed from Vibracore tube, logged and placed in "NX" core box.</p> <p>2. Sample No. refers to samples sent to SAD Laboratory for grain size analysis.</p> <p>3. Classification of granular materials conforms to laboratory analysis.</p>							