




BLIND PASS CORES										
CORE# BP 2										
DEPTH:	20cm	50cm	100cm	150cm	200cm	210cm	250cm	300cm	350cm	400cm
PHI SIZE	WEIGHT>									
-2.0	3.61	0.09	0.89	1.17	0.65	0.00	0.16	0.11	0.00	0.04
-1.5	1.14	0.14	0.14	0.30	0.29	0.12	0.15	0.02	0.00	0.00
-1.0	1.76	0.18	0.11	0.55	0.22	0.39	0.13	0.09	0.01	0.00
-0.5	2.68	0.15	0.22	0.88	0.32	0.56	0.23	0.19	0.05	0.01
0.0	2.74	0.21	0.11	1.01	0.35	0.50	0.24	0.21	0.15	0.03
0.5	2.85	0.23	0.14	0.95	0.34	0.46	0.28	0.28	0.26	0.03
1.0	3.15	0.34	0.14	1.12	0.38	0.41	0.43	0.39	0.45	0.06
1.5	3.66	0.70	0.23	1.60	0.49	0.35	0.73	0.66	0.72	0.12
2.0	5.68	2.10	0.69	3.90	1.04	0.51	1.82	1.67	1.49	0.40
2.5	13.34	9.12	3.19	15.53	3.95	2.04	7.12	6.71	5.63	2.66
3.0	23.75	24.59	28.73	34.12	24.01	10.02	27.13	27.24	24.14	20.60
3.5	8.43	9.83	34.29	12.26	45.92	11.39	22.86	20.92	25.44	26.22
4.0	0.39	0.48	2.43	0.53	6.60	1.26	2.18	1.21	2.55	3.74
Pan	0.02	0.00	0.07	0.00	0.24	0.07	0.06	0.06	0.08	0.13
Mud	0.00	0.00	0.00	0.00	2.56	11.12	1.21	0.00	0.00	2.24
Total	73.20	48.16	71.38	73.92	87.36	39.20	64.73	59.76	60.97	56.28
Wt.Sand	68.47	47.90	70.25	72.38	83.64	27.96	63.16	59.45	60.75	53.88
Wt.Qtz.Sand	48.86	43.97	63.11	62.35	74.89	25.01	54.53	53.27	54.99	49.45
%Sand	93.54	99.46	98.42	97.92	95.74	71.33	97.57	99.48	99.64	95.74
%Mud	0.00	0.00	0.00	0.00	2.93	28.37	1.87	0.00	0.00	3.98
%Carbonate	33.25	8.70	11.59	15.65	14.27	36.20	15.76	10.86	9.81	12.14
%Gravel	6.49	0.48	1.44	1.99	1.08	0.31	0.48	0.22	0.00	0.07

BLIND PASS CORES		Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2		16	-0.04	Mean	1.75	Skewness	-0.60
		50	2.35	Std.Dev.	1.49		
DEPTH:	20cm	84	2.94				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.				
-2.0	3.61	4.93	4.93	<div>Blind Pass Core 2: 20cm Depth</div> 			
-1.5	1.14	1.56	6.49				
-1.0	1.76	2.40	8.89				
-0.5	2.68	3.66	12.55				
0.0	2.74	3.74	16.30				
0.5	2.85	3.89	20.19				
1.0	3.15	4.30	24.49				
1.5	3.66	5.00	29.49				
2.0	5.68	7.76	37.25				
2.5	13.34	18.22	55.48				
3.0	23.75	32.45	87.92				
3.5	8.43	11.52	99.44				
4.0	0.39	0.53	99.97				
4.5	0.02	0.03	100.00				
Mud	0.00						
Total	73.20	100.00					
Wt.Sand	68.47						
Wt.Qtz.Sand	48.86						
%Sand	93.54						
%Mud	0.00						
%Carbonate	33.25						
%Gravel	6.49						


Blind Pass Core 2: 20cm Depth




BLIND PASS CORES			Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2			16	2.20	Mean	2.68	Skewness	-0.19
			50	2.72	Std.Dev.	0.47		
DEPTH:	50cm		84	3.13				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.					
-2.0	0.09	0.19	0.19					
-1.5	0.14	0.29	0.48					
-1.0	0.18	0.37	0.85					
-0.5	0.15	0.31	1.16					
0.0	0.21	0.44	1.60					
0.5	0.23	0.48	2.08					
1.0	0.34	0.71	2.78					
1.5	0.70	1.45	4.24					
2.0	2.10	4.36	8.60					
2.5	9.12	18.94	27.53					
3.0	24.59	51.06	78.59					
3.5	9.83	20.41	99.00					
4.0	0.48	1.00	100.00					
4.5	0.00	0.00	100.00					
Mud	0.00							
Total	48.16	100.00						
Wt.Sand	47.90							
Wt.Qtz.Sand	43.97							
%Sand	99.46							
%Mud	0.00							
%Carbonate	8.70							
%Gravel	0.48							




Blind Pass Core 2: 50cm Depth




BLIND PASS CORES			Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2			16	2.60	Mean	3.00	Skewness	-0.09
			50	3.02	Std.Dev.	0.39		
DEPTH:	100cm		84	3.37				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.					
-2.0	0.89	1.25	1.25	<div>Blind Pass Core 2: 100cm Depth</div> 				
-1.5	0.14	0.20	1.44					
-1.0	0.11	0.15	1.60					
-0.5	0.22	0.31	1.91					
0.0	0.11	0.15	2.06					
0.5	0.14	0.20	2.26					
1.0	0.14	0.20	2.45					
1.5	0.23	0.32	2.77					
2.0	0.69	0.97	3.74					
2.5	3.19	4.47	8.21					
3.0	28.73	40.25	48.46					
3.5	34.29	48.04	96.50					
4.0	2.43	3.40	99.90					
4.5	0.07	0.10	100.00					
Mud	0.00							
Total	71.38	100.00						
Wt.Sand	70.25							
Wt.Qtz.Sand	63.11							
%Sand	98.42							
%Mud	0.00							
%Carbonate	11.59							
%Gravel	1.44							

Blind Pass Core 2: 100cm Depth




BLIND PASS CORES			Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2			16	2.01	Mean	2.57	Skewness	-0.24
			50	2.65	Std.Dev.	0.52		
DEPTH:	150cm		84	30.40				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.					
-2.0	1.17	1.58	1.58					
-1.5	0.30	0.41	1.99					
-1.0	0.55	0.74	2.73					
-0.5	0.88	1.19	3.92					
0.0	1.01	1.37	5.29					
0.5	0.95	1.29	6.57					
1.0	1.12	1.52	8.09					
1.5	1.60	2.16	10.25					
2.0	3.90	5.28	15.53					
2.5	15.53	21.01	36.54					
3.0	34.12	46.16	82.70					
3.5	12.26	16.59	99.28					
4.0	0.53	0.72	100.00					
4.5	0.00	0.00	100.00					
Mud	0.00							
Total	73.92	100.00						
Wt.Sand	72.38							
Wt.Qtz.Sand	62.35							
%Sand	97.92							
%Mud	0.00							
%Carbonate	15.65							
%Gravel	1.99							

Blind Pass Core 2: 150cm Depth




Blind Pass Core 2: 150cm Depth




BLIND PASS CORES		Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2		16	2.62	Mean	3.05	Skewness	-0.21
		50	3.11	Std.Dev.	0.41		
DEPTH:	200cm	84	3.43				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.				
-2.0	0.65	0.77	0.77				
-1.5	0.29	0.34	1.11				
-1.0	0.22	0.26	1.37				
-0.5	0.32	0.38	1.75				
0.0	0.35	0.41	2.16				
0.5	0.34	0.40	2.56				
1.0	0.38	0.45	3.01				
1.5	0.49	0.58	3.58				
2.0	1.04	1.23	4.81				
2.5	3.95	4.66	9.47				
3.0	24.01	28.31	37.78				
3.5	45.92	54.15	91.93				
4.0	6.60	7.78	99.72				
4.5	0.24	0.28	100.00				
Mud	2.56						
Total	87.36	100.00					
Wt.Sand	83.64						
Wt.Qtz.Sand	74.89						
%Sand	95.74						
%Mud	2.93						
%Carbonate	14.27						
%Gravel	1.08						

Blind Pass Core 2: 200cm Depth




Blind Pass Core 2: 200cm Depth




BLIND PASS CORES		Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2		16	2.29	Mean	2.86	Skewness	-0.20
		50	2.93	Std.Dev.	0.54		
DEPTH:	210cm	84	3.36				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.				
-2.0	0.00	0.00	0.00				
-1.5	0.12	0.43	0.43				
-1.0	0.39	1.39	1.82				
-0.5	0.56	1.99	3.81				
0.0	0.50	1.78	5.59				
0.5	0.46	1.64	7.23				
1.0	0.41	1.46	8.69				
1.5	0.35	1.25	9.94				
2.0	0.51	1.82	11.75				
2.5	2.04	7.26	19.02				
3.0	10.02	35.68	54.70				
3.5	11.39	40.56	95.26				
4.0	1.26	4.49	99.75				
4.5	0.07	0.25	100.00				
Mud	11.12						
Total	39.20	100.00					
Wt.Sand	27.96						
Wt.Qtz.Sand	25.01						
%Sand	71.33						
%Mud	28.37						
%Carbonate	36.20						
%Gravel	0.31						



Blind Pass Core 2: 210cm Depth




Blind Pass Core 2: 210cm Depth





BLIND PASS CORES			Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2			16	2.42	Mean	2.88	Skewness	-0.01
			50	2.88	Std.Dev.	0.46		
DEPTH:	250cm		84	3.33				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.					
-2.0	0.16	0.25	0.25					
-1.5	0.15	0.24	0.49					
-1.0	0.13	0.20	0.69					
-0.5	0.23	0.36	1.05					
0.0	0.24	0.38	1.43					
0.5	0.28	0.44	1.87					
1.0	0.43	0.68	2.55					
1.5	0.73	1.15	3.70					
2.0	1.82	2.87	6.56					
2.5	7.12	11.21	17.77					
3.0	27.13	42.71	60.48					
3.5	22.86	35.99	96.47					
4.0	2.18	3.43	99.91					
4.5	0.06	0.09	100.00					
Mud	1.21							
Total	64.73	100.00						
Wt.Sand	63.16							
Wt.Qtz.Sand	54.53							
%Sand	97.57							
%Mud	1.87							
%Carbonate	15.76							
%Gravel	0.48							




BLIND PASS CORES			Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2			16	2.44	Mean	2.87	Skewness	0.02
			50	2.86	Std.Dev.	0.43		
DEPTH:	300cm		84	3.30				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.					
-2.0	0.11	0.18	0.18	<div>Blind Pass Core 2: 300cm Depth</div> 				
-1.5	0.02	0.03	0.22					
-1.0	0.09	0.15	0.37					
-0.5	0.19	0.32	0.69					
0.0	0.21	0.35	1.04					
0.5	0.28	0.47	1.51					
1.0	0.39	0.65	2.16					
1.5	0.66	1.10	3.26					
2.0	1.67	2.79	6.06					
2.5	6.71	11.23	17.29					
3.0	27.24	45.58	62.87					
3.5	20.92	35.01	97.87					
4.0	1.21	2.02	99.90					
4.5	0.06	0.10	100.00					
Mud	0.00							
Total	59.76	100.00						
Wt.Sand	59.45							
Wt.Qtz.Sand	53.27							
%Sand	99.48							
%Mud	0.00							
%Carbonate	10.86							
%Gravel	0.22							


Blind Pass Core 2: 300cm Depth



BLIND PASS CORES		Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2		16	2.52	Mean	2.94	Skewness	-0.02
		50	2.95	Std.Dev.	0.42		
DEPTH:	350cm	84	3.36				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.				
-2.0	0.00	0.00	0.00	<div>Blind Pass Core 2: 350cm Depth</div> 			
-1.5	0.00	0.00	0.00				
-1.0	0.01	0.02	0.02				
-0.5	0.05	0.08	0.10				
0.0	0.15	0.25	0.34				
0.5	0.26	0.43	0.77				
1.0	0.45	0.74	1.51				
1.5	0.72	1.18	2.69				
2.0	1.49	2.44	5.13				
2.5	5.63	9.23	14.37				
3.0	24.14	39.59	53.96				
3.5	25.44	41.73	95.69				
4.0	2.55	4.18	99.87				
4.5	0.08	0.13	100.00				
Mud	0.00						
Total	60.97	100.00					
Wt.Sand	60.75						
Wt.Qtz.Sand	54.99						
%Sand	99.64						
%Mud	0.00						
%Carbonate	9.81						
%Gravel	0.00						

Blind Pass Core 2: 350cm Depth



BLIND PASS CORES			Percentile	Phi Size	Statistic	Phi Size	Statistic	Number
CORE# BP 2			16	2.63	Mean	3.03	Skewness	-0.10
			50	3.06	Std.Dev.	0.39		
DEPTH:	400cm		84	3.41				
PHI SIZE	WEIGHT	%TOT.WT.	%CUM.WT.					
-2.0	0.04	0.07	0.07	<div>Blind Pass Core 2: 400cm Depth</div> 				
-1.5	0.00	0.00	0.07					
-1.0	0.00	0.00	0.07					
-0.5	0.01	0.02	0.09					
0.0	0.03	0.06	0.15					
0.5	0.03	0.06	0.20					
1.0	0.06	0.11	0.31					
1.5	0.12	0.22	0.54					
2.0	0.40	0.74	1.28					
2.5	2.66	4.92	6.20					
3.0	20.60	38.12	44.32					
3.5	26.22	48.52	92.84					
4.0	3.74	6.92	99.76					
4.5	0.13	0.24	100.00					
Mud	2.24							
Total	56.28	100.00						
Wt.Sand	53.88							
Wt.Qtz.Sand	49.45							
%Sand	95.74							
%Mud	3.98							
%Carbonate	12.14							
%Gravel	0.07							

Blind Pass Core 2: 400cm Depth

