

<b>DRILLING LOG</b>		<b>DIVISION</b>		<b>INSTALLATION</b>		<b>SHEET 1 OF 1 SHEETS</b>	
<b>1. PROJECT</b> Walton County Borrow Area A Walton County, Florida				<b>9. SIZE AND TYPE OF BIT</b>			
<b>2. BORING DESIGNATION</b> WA-61				<b>LOCATION COORDINATES</b> X = 1,376,802 Y = 478,092		<b>10. COORDINATE SYSTEM/DATUM</b> Florida State Plane North	
<b>3. DRILLING AGENCY</b>				<b>CONTRACTOR FILE NO.</b>		<b>11. MANUFACTURER'S DESIGNATION OF DRILL</b> Vibrocure	
<b>4. NAME OF DRILLER</b> Alpine				<b>12. TOTAL SAMPLES</b>		<b>13. TOTAL NUMBER CORE BOXES</b>	
<b>5. DIRECTION OF BORING</b> <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				<b>DEG. FROM VERTICAL</b>		<b>BEARING</b>	
<b>6. THICKNESS OF OVERBURDEN</b> 0.0 Ft.				<b>14. ELEVATION GROUND WATER</b>		<b>15. DATE BORING</b> 08-29-06 12:43	
<b>7. DEPTH DRILLED INTO ROCK</b> 0.0 Ft.				<b>16. ELEVATION TOP OF BORING</b> -78.3 Ft.		<b>17. TOTAL RECOVERY FOR BORING</b> 17.5 Ft.	
<b>8. TOTAL DEPTH OF BORING</b> 18.7 Ft.				<b>18. SIGNATURE AND TITLE OF INSPECTOR</b>			

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-78.3	0.0					
-82.4	4.1		Medium sand. Scattered mud-filled burrows at 1.7' to 1.9'. Scattered shells at 2.5' to 2.6'. (SP).		WA-61 0' WA-61 1.5'	Sample #WA-61 0', Depth = 0.0' Sample #WA-61 1.5', Depth = 1.5'
-85.4	7.1		Fine sand. Shells at 4.8' to 4.9'. (SP).		WA-61 3.0'	Sample #WA-61 3.0', Depth = 3.0'
-88.4	10.1		Carbonate-cemented sediment..		WA-61 4.5'	Sample #WA-61 4.5', Depth = 4.5'
-89.9	11.6		Fine sand., (SP).			
-91.0	12.7		Carbonate-cemented sediment..			
-93.4	15.1		Medium sand., (SP).			
-96.0	17.7		Carbonate-cemented sediment..			
			End of Boring			

FLORIDA DEP ROSS WALTON COUNTY DETAIL PHASE II.GPJ FL DEP ROSS.GDT 09/12/07