

## Boring Designation WA-67

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
<b>1. PROJECT</b> Walton County Borrow Area A Walton County, Florida				<b>9. SIZE AND TYPE OF BIT</b>			
				<b>10. COORDINATE SYSTEM/DATUM</b> Florida State Plane North		<b>HORIZONTAL</b> NAD 1983	
<b>2. BORING DESIGNATION</b> WA-67		<b>LOCATION COORDINATES</b> X = 1,371,505 Y = 474,160		<b>11. MANUFACTURER'S DESIGNATION OF DRILL</b> <input type="checkbox"/> <b>AUTO HAMMER</b> Vibracore <input type="checkbox"/> <b>MANUAL HAMMER</b>			
<b>3. DRILLING AGENCY</b>		<b>CONTRACTOR FILE NO.</b>		<b>12. TOTAL SAMPLES</b>		<b>DISTURBED</b>	
<b>4. NAME OF DRILLER</b> Alpine				<b>13. TOTAL NUMBER CORE BOXES</b>			
<b>5. DIRECTION OF BORING</b> <input checked="" type="checkbox"/> <b>VERTICAL</b> <input type="checkbox"/> <b>INCLINED</b>		<b>DEG. FROM VERTICAL</b>		<b>BEARING</b>		<b>14. ELEVATION GROUND WATER</b>	
<b>6. THICKNESS OF OVERBURDEN</b>		0.0 Ft.		<b>15. DATE BORING</b>		<b>STARTED</b> 08-31-06 08:13	
<b>7. DEPTH DRILLED INTO ROCK</b>		0.0 Ft.		<b>16. ELEVATION TOP OF BORING</b>		-70.6 Ft.	
<b>8. TOTAL DEPTH OF BORING</b>		18.5 Ft.		<b>17. TOTAL RECOVERY FOR BORING</b>		19 Ft.	
				<b>18. SIGNATURE AND TITLE OF INSPECTOR</b>			

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-70.6	0.0					
-82.1	11.5		Medium sand. Scattered burrows at depth of 3.6' to 4.8'. Shells at depth of 0.2' to 0.4', 5' to 5.1', 7.4' to 7.8', 8.9' to 9.3', 10.4' to 10.5', (SP).		WA-67 0' WA-67 1.5' WA-67 3.0' WA-67 4.5' WA-67 6.0' WA-67 7.5' WA-67 9.0' WA-67 10.5'	Sample #WA-67 0', Depth = 0.0' Sample #WA-67 1.5', Depth = 1.5' Sample #WA-67 3.0', Depth = 3.0' Sample #WA-67 4.5', Depth = 4.5' Sample #WA-67 6.0', Depth = 6.0' Sample #WA-67 7.5', Depth = 7.5' Sample #WA-67 9.0', Depth = 9.0' Sample #WA-67 10.5', Depth = 10.5'
-83.1	12.5		Fine sand. Scattered burrow at the top., (SP).		WA-67 12.0'	Sample #WA-67 12.0', Depth = 12.0'
-83.7	13.1		Medium sand, with abundant whole shells., (SP).			
-89.6	19.0		Fine sand. Wood at depth of 15.7' to 16.1', (SP).			
			End of Boring			