

DRILLING LOG		South Atlantic		Jacksonville District		OF 2 SHEETS	
1. PROJECT Blind Pass				10. SIZE AND TYPE OF BIT see remarks			
2. LOCATION (Coordinates or Station) X=255,835 Y=1,238,492				11. DAYTON FOR ELEVATION SHOWN (TYPED OR HAND)			
3. DRILLING AGENCY Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL Acker			
4. HOLE NO. (As shown on drawing title and file number) CB-BP-10				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN			
5. NAME OF DRILLER R. Gordon				14. TOTAL NUMBER CORE BOXES 1/2			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER 0.5			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE STARTED 9 May 78 COMPLETED 9 May 78			
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE +2.0			
9. TOTAL DEPTH OF HOLE 25.0'				18. TOTAL CORE RECOVERY FOR BORING 90 %			
				19. SIGNATURE OF INSPECTOR Geologist: R. Stross			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
+2.0	0.0					BIT OR BARREL	
			SAND, light gray, fine to medium quartz (SP) shelly from +2.0 to +1.0.	98	1	+2.0	
						2" SAMPLER	
						-3.0	
				90	2	" "	
			Shelly from -8.0 to -11.0.			-8.0	
				100	3	" "	
-11.0	13.0					-13.0	
			SAND, silty, gray, fine quartz. (SH)			" "	
-14.0	16.0			100	4	-18.0	
			SAND, light gray, fine quartz. (SP)			" "	

