

<b>DRILLING LOG</b>		<b>DIVISION</b>		<b>INSTALLATION</b>		<b>SHEET 1 OF 1 SHEETS</b>	
<b>1. PROJECT</b> Gulf County Supplemental Port St. Joseph, Florida				<b>9. SIZE AND TYPE OF BIT</b> 2.0 In.			
<b>2. BORING DESIGNATION</b> C-406				<b>10. COORDINATE SYSTEM/DATUM</b> Florida State Plane North		<b>HORIZONTAL</b> NAD 1983	<b>VERTICAL</b> NAVD 88
<b>3. DRILLING AGENCY</b>				<b>11. MANUFACTURER'S DESIGNATION OF DRILL</b>		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
<b>4. NAME OF DRILLER</b> Athena				<b>12. TOTAL SAMPLES</b>		<b>DISTURBED</b>	<b>UNDISTURBED (UD)</b>
<b>5. DIRECTION OF BORING</b> <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				<b>DEG. FROM VERTICAL</b>	<b>BEARING</b>		
<b>6. THICKNESS OF OVERBURDEN</b> 0.0 Ft.				<b>13. TOTAL NUMBER CORE BOXES</b>			
<b>7. DEPTH DRILLED INTO ROCK</b> 0.0 Ft.				<b>14. ELEVATION GROUND WATER</b>			
<b>8. TOTAL DEPTH OF BORING</b> 10.0 Ft.				<b>15. DATE BORING</b>		<b>STARTED</b> 07-25-06	<b>COMPLETED</b> 07-25-06
				<b>16. ELEVATION TOP OF BORING</b> -35.9 Ft.			
				<b>17. TOTAL RECOVERY FOR BORING</b> 7.6 Ft.			
				<b>18. SIGNATURE AND TITLE OF INSPECTOR</b> LA Coastal Geologist			

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS	
-35.9	0.0						0
-38.9	3.0		Fine grained quartz sand with abundant mud-filled burrows. Gradational contact, light gray (10YR-7/1), (SM).		2	Sample #2, Depth = 1.0' - 3.0'	
-43.5	7.6		Sandy, shelly mud with some fine grained quartz sand-filled burrows, dark gray (10YR-4/1), (ML).				5
			End of Boring				10
							15
							20
							25