

Boring Designation PB-95-C08

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
1. PROJECT Juno Historic Palm Beach County				9. SIZE AND TYPE OF BIT			
2. BORING DESIGNATION PB-95-C08				10. COORDINATE SYSTEM/DATUM Florida State Plane East		HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates Inc				11. MANUFACTURER'S DESIGNATION OF DRILL 4-inch Alpine Pneumatic		VERTICAL NAVD 88	
4. NAME OF DRILLER Alpine Ocean Seismic Survey, Inc.				12. TOTAL SAMPLES		DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				13. TOTAL NUMBER CORE BOXES		14. ELEVATION GROUND WATER	
6. THICKNESS OF OVERBURDEN 0.0 Ft.				15. DATE BORING 08-09-95		STARTED 08-09-95	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.				16. ELEVATION TOP OF BORING -67.8 Ft.		COMPLETED 08-09-95	
8. TOTAL DEPTH OF BORING 20.3 Ft.				17. TOTAL RECOVERY FOR BORING 20.3 Ft.		18. SIGNATURE AND TITLE OF INSPECTOR	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-67.8	0.0					
			Gray, medium-to-fine sand, some coarse sand and gravel, (SP).		0.5	Sample #0.5, Depth = 0.5'
					2.5	Sample #2.5, Depth = 2.5'
					4.5	Sample #4.5, Depth = 4.5'
					6.5	Sample #6.5, Depth = 6.5'
-76.4	8.6				8.5	Sample #8.5, Depth = 8.5'
-77.4	9.6		Dark brown, fine sand, (SP).			
			Light brown, fine sand, gravel well graded., (SM).		10.5	Sample #10.5, Depth = 10.5'
-80.3	12.5				12.5	Sample #12.5, Depth = 12.5'
			Light brown, fine sand, some coarse sand, gravel at 15', (SP).		15.5	Sample #15.5, Depth = 15.5'
-83.8	16.0				17.5	Sample #17.5, Depth = 17.5'
			Medium-to-fine sand, gravel well graded, (SW).		Comp	Sample #Comp, Depth = 19.0' Composite
-87.0	19.2					
-88.1	20.3		Tan, fine-to-medium, sand gravel, (SP).			
			End of Boring			