

Boring Designation PB-96-C86

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
1. PROJECT Juno Historic Palm Beach County				9. SIZE AND TYPE OF BIT			
2. BORING DESIGNATION PB-96-C86				10. COORDINATE SYSTEM/DATUM Florida State Plane East		HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates Inc				11. MANUFACTURER'S DESIGNATION OF DRILL 4-inch Alpine Pneumatic		VERTICAL NAVD 88	
4. NAME OF DRILLER Alpine Ocean Seismic Survey, Inc.				12. TOTAL SAMPLES		DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				13. TOTAL NUMBER CORE BOXES		14. ELEVATION GROUND WATER	
6. THICKNESS OF OVERBURDEN 0.0 Ft.				15. DATE BORING 08-01-96		STARTED COMPLETED 08-01-96	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.				16. ELEVATION TOP OF BORING -62.5 Ft.		17. TOTAL RECOVERY FOR BORING 20.1 Ft.	
8. TOTAL DEPTH OF BORING 20.1 Ft.				18. SIGNATURE AND TITLE OF INSPECTOR			
ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS	
-62.5	0.0						
			Tan-to-gray, fine sand and medium-fine shell fragments, (SP).		0.5	Sample #0.5, Depth = 0.5'	
-66.5	4.0				3.0	Sample #3.0, Depth = 3.0'	
-68.4	5.9		Light-gray-to-tan, coarse shell and medium-fine sand, (SW).		5.0	Sample #5.0, Depth = 5.0' 5.2'-5.4' Layer of crushed shell.	
-71.0	8.5		Gray, fine sand and coarse shell material, (SW).		7.0	Sample #7.0, Depth = 7.0'	
-71.6	9.1		Gray-to-dark gray, medium fine sand and shell fragments, (SP).		8.7	Sample #8.7, Depth = 8.7'	
					12.0	Sample #12.0, Depth = 12.0'	
					Comp	Sample #Comp, Depth = 13.5' Composite (0.0'-9.1') Composite sample.	
-82.6	20.1		Light-gray, whole fine calcareous sand, clasts of lithified carbonate, some silt, (SM).				
			End of Boring				