

Boring Designation JC-05

|   |  |          |  |  |  |   |  |
|---|--|----------|--|--|--|---|--|
| DRILLING LOG  |  | DIVISION |  | INSTALLATION   |  | SHEET 1<br>OF 1 SHEETS                    |  |
| 1. PROJECT<br>Juno Historic<br>Palm Beach County  |  |          |  | 9. SIZE AND TYPE OF BIT  |  |   |  |
| 2. BORING DESIGNATION<br>JC-05  |  |          |  | 10. COORDINATE SYSTEM/DATUM<br>Florida State Plane East            |  | HORIZONTAL<br>NAD 1983                    |  |
| 3. DRILLING AGENCY<br>Olsen Associates Inc  |  |          |  | 11. MANUFACTURER'S DESIGNATION OF DRILL<br>4-inch Alpine Pneumatic |  | VERTICAL<br>NAVD 88                       |  |
| 4. NAME OF DRILLER<br>Alpine Ocean Seismic Survey, Inc.   |  |          |  | 12. TOTAL SAMPLES  |  | DISTURBED<br>UNDISTURBED (UD)             |  |
| 5. DIRECTION OF BORING<br><input checked="" type="checkbox"/> VERTICAL<br><input type="checkbox"/> INCLINED |  |          |  | 13. TOTAL NUMBER CORE BOXES  |  | 14. ELEVATION GROUND WATER                |  |
| 6. THICKNESS OF OVERBURDEN<br>0.0 Ft.   |  |          |  | 15. DATE BORING<br>01-18-00  |  | STARTED<br>COMPLETED<br>01-18-00          |  |
| 7. DEPTH DRILLED INTO ROCK<br>0.0 Ft.   |  |          |  | 16. ELEVATION TOP OF BORING<br>-60.0 Ft.                           |  | 17. TOTAL RECOVERY FOR BORING<br>20.3 Ft. |  |
| 8. TOTAL DEPTH OF BORING<br>20.3 Ft.  |  |          |  | 18. SIGNATURE AND TITLE OF INSPECTOR                               |  |   |  |

| ELEV.<br>(ft) | DEPTH<br>(ft) | LEGEND | CLASSIFICATION OF MATERIALS<br>Depths and elevations based on measured values                         | %<br>REC. | BOX OR<br>SAMPLE | REMARKS   |
|---------------|---------------|--------|---|-----------|------------------|---|
| -60.0         | 0.0           |        |   |           |                  |   |
| -61.8         | 1.8           |        | Dark gray medium to fine sand scattered coarse shell fragments, gray (10YR-5/1), (SP).                |           | 0.5              | Sample #0.5, Depth = 0.5'                               |
| -64.1         | 4.1           |        | Dark gray coarse shell fragments and medium to fine sand, gray (10YR-5/1), (SP).                      |           | 3.0              | Sample #3.0, Depth = 3.0'                               |
| -65.1         | 5.1           |        | Dark gray medium to fine sand, coarse shell fragments, (10YR-5/1), (SP).                              |           |                  |   |
| -71.2         | 11.2          |        | Dark gray medium to fine sand, scattered shell fragments in medium gravel range, (10YR-5/1), (SP).    |           | 7.0              | Sample #7.0, Depth = 7.0'                               |
| -75.3         | 15.3          |        | Dark gray medium to fine quartz sand and scattered whole shell fragments to 1 inch, (10YR-5/1), (SP). |           | 12.0             | Sample #12.0, Depth = 12.0'<br>Seismic Reflector        |
| -78.4         | 18.4          |        | Dark gray medium to fine sand, abundant rock fragments, (10YR-5/1), (SW).                             |           | 16.0             | Sample #16.0, Depth = 16.0'<br>Clay clasts, 14.8'-15.3' |
| -80.3         | 20.3          |        | Dark gray silty sand and rock fragments, (10YR-5/1), (GW).  |           | Comp             | Sample #Comp, Depth = 17.5'<br>Composite (0-14.5)       |
|               |               |        | End of Boring   |           |                  |   |