

Boring Designation PB-96-C93

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
1. PROJECT Juno Historic Palm Beach County				9. SIZE AND TYPE OF BIT			
2. BORING DESIGNATION PB-96-C93				10. COORDINATE SYSTEM/DATUM Florida State Plane East		HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates Inc				11. MANUFACTURER'S DESIGNATION OF DRILL 4-inch Alpine Pneumatic		VERTICAL NAVD 88	
4. NAME OF DRILLER Alpine Ocean Seismic Survey, Inc.				12. TOTAL SAMPLES		DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				13. TOTAL NUMBER CORE BOXES		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
6. THICKNESS OF OVERBURDEN 0.0 Ft.				14. ELEVATION GROUND WATER		15. DATE BORING 08-02-96	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.				16. ELEVATION TOP OF BORING -66.0 Ft.		COMPLETED 08-02-96	
8. TOTAL DEPTH OF BORING 15.4 Ft.				17. TOTAL RECOVERY FOR BORING 15.4 Ft.		18. SIGNATURE AND TITLE OF INSPECTOR	
ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS	
-66.0	0.0						
-67.8	1.8		Gray, medium sand and coarse shell fragments, whole shells, (SP).		0.5	Sample #0.5, Depth = 0.5'	
					3.0	Sample #3.0, Depth = 3.0'	
					6.0	Sample #6.0, Depth = 6.0'	
			Gray, fine sand, shell fragments and scattered whole shells, (SP).		9.0	Sample #9.0, Depth = 9.0'	
					11.0	Sample #11.0, Depth = 11.0' 11.7'-12.4' Plastic mud.	
-77.7	11.7						
-79.9	13.9		Gray, fine sand and silt, fine-to-medium shell fragments, (SP).				
-81.4	15.4		Gray, fine sand, shell fragments, whole shells to 3" diameter, (SP).		14.5	Sample #14.5, Depth = 14.5'	
					Comp	Sample #Comp, Depth = 15.4' Composite	
			End of Boring				