

Boring Designation PB-96-C56

DRILLING LOG		DIVISION		INSTALLATION		SHEET 1 OF 1 SHEETS	
1. PROJECT Juno Historic Palm Beach County				9. SIZE AND TYPE OF BIT			
2. BORING DESIGNATION PB-96-C56				10. COORDINATE SYSTEM/DATUM Florida State Plane East		HORIZONTAL NAD 1983	
3. DRILLING AGENCY Olsen Associates Inc				11. MANUFACTURER'S DESIGNATION OF DRILL 4-inch Alpine Pneumatic		VERTICAL NAVD 88	
4. NAME OF DRILLER Alpine Ocean Seismic Survey, Inc.				12. TOTAL SAMPLES		DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED				13. TOTAL NUMBER CORE BOXES		<input type="checkbox"/> AUTO HAMMER <input type="checkbox"/> MANUAL HAMMER	
6. THICKNESS OF OVERBURDEN 0.0 Ft.				14. ELEVATION GROUND WATER		15. DATE BORING 07-27-96	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.				16. ELEVATION TOP OF BORING -69.2 Ft.		COMPLETED 07-27-96	
8. TOTAL DEPTH OF BORING 19.2 Ft.				17. TOTAL RECOVERY FOR BORING 19.2 Ft.		18. SIGNATURE AND TITLE OF INSPECTOR	
ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS	
-69.2	0.0						
-70.2	1.0		Dark-tan, medium-fine sand, (SP).		0.5	Sample #0.5, Depth = 0.5'	
			Gray, fine-medium sand, whole shells and coarse shell fragments, (SP).		2.0	Sample #2.0, Depth = 2.0'	
-72.7	3.5						
			Gray, fine-medium sand, some shell fragments, (SP).		5.0	Sample #5.0, Depth = 5.0'	
					8.0	Sample #8.0, Depth = 8.0'	
-81.6	12.4				11.0	Sample #11.0, Depth = 11.0'	
			Gray, fine-medium sand and compacted coarse shell fragments, (SP).				
-83.2	14.0						
			Light-tan, fine sand and silt, (SM).		15.0	Sample #15.0, Depth = 15.0'	
-84.6	15.4						
			Light-tan, very fine, sandy silt, (ML).		18.0	Sample #18.0, Depth = 18.0'	
-88.4	19.2				Comp	Sample #Comp, Depth = 19.0' Composite	
			End of Boring				