

DRILLING LOG		HUMISTON & MOORE ENGINEERS		INSTALLATION		SHEET 3 OF 12 SHEETS	
1. PROJECT KNIGHT ISLAND BEACH NOURISHMENT				10. SIZE AND TYPE OF BIT 2.5 INCHES			
2. LOCATION CHARLOTTE COUNTY, FLORIDA				11. DATUM FOR ELEVATION SHOWN NGVD			
3. DRILLING AGENCY EXMAR				12. MANUFACTURERS DESIGNATION OF DRILL VIBRACORE			
4. HOLE NO. 3A				13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN		DISTURBED NA	
						UNDISTURBED NA	
5. NAME OF DRILLER MIKE CLARK				14. TOTAL NUMBER OF CORE BOXES (SECTIONS) 1			
6. DIRECTION OF HOLE <input checked="" type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION OF GROUND WATER TIDAL			
7. THICKNESS OF OVERBURDEN NA				16. DATE HOLE		STARTED 9/18/93 FINISHED 9/18/93	
8. DEPTH DRILLED INTO ROCK NONE				17. ELEVATION TOP OF HOLE -14.0 FEET NGVD			
9. TOTAL DEPTH OF HOLE 4 FEET				18. TOTAL CORE RECOVERY FOR BORING 3.9 FEET			
				19. SIGNATURE OF INSPECTOR			
ELEVATION (Feet) a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS g	
	1		MEDIUM TO FINE QUARTZ SAND (SW) WITH SOME SHELL		3A-1	EL. = -15.01	
	2						
	3						
-17.9	4						3A-2
	5					REFUSAL DUE TO FINE SAND PACKING IN BIT @ -18.0	
	6						
	7						
	8						
	9						
	10						
	11						
	12						
	13						
	14						
	15						
	16						
	17						
	18						
	19						

LAW ENGINEERING
3627 PROGRESS AVENUE
NAPLES, FLORIDA 33942
(813) 643-4747

REPORT OF GRAINSIZE ANALYSIS WITH WASH 200 AND WATER CONTENT

CLIENT: Humiston, Moore Engineers

DATE: October 21, 1993

PROJECT: Knight Island Beach Restoration Project

TECHNICIAN: SC

JOB NUMBER: 76-611005-01


BORING NUMBER: 3A

SAMPLE NUMBER: 1

Sample Description: Gray fine SAND

<i>SIEVE NO.</i>	<i>WEIGHT RETAINED</i>	<i>% RETAINED</i>	<i>% PASSING</i>
<i>1 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>3/4 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>1/2 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>3/8 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>4</i>	<i>1.5</i>	<i>0.6</i>	<i>99.4</i>
<i>10</i>	<i>4.0</i>	<i>1.6</i>	<i>98.4</i>
<i>20</i>	<i>15.6</i>	<i>6.3</i>	<i>93.7</i>
<i>40</i>	<i>49.5</i>	<i>20.0</i>	<i>80.0</i>
<i>60</i>	<i>111.6</i>	<i>45.1</i>	<i>54.9</i>
<i>80</i>	<i>148.9</i>	<i>60.2</i>	<i>39.8</i>
<i>100</i>	<i>194.3</i>	<i>78.6</i>	<i>21.4</i>
<i>140</i>	<i>240.5</i>	<i>97.3</i>	<i>2.7</i>
<i>200</i>	<i>245.2</i>	<i>99.2</i>	<i>0.8</i>

Boulders	GRAVEL		SAND			FINES	
	Coarse	Fine	Coarse	Medium	Fine	Silt Sizes	Clay Sizes



DEPTH	NAT WC	LL	PL	PI	DESCRIPTION
0.0					Gray fine SAND

GRAIN SIZE DISTRIBUTION			
BORING NUMBER		SAMPLE 1	
3A			
PROJECT NUMBER		76-611005-01	
PROJECT		KNIGHT ISLAND BEACH RESTORATION	
LAW ENGINEERING			

LAW ENGINEERING
3627 PROGRESS AVENUE
NAPLES, FLORIDA 33942
(813) 643-4747

REPORT OF GRAINSIZE ANALYSIS WITH WASH 200 AND WATER CONTENT

CLIENT: Humiston, Moore Engineers

DATE: October 20, 1993

PROJECT: Knight Island Beach Restoration Project

TECHNICIAN: SC

JOB NUMBER: 76-611005-01

BORING NUMBER: 3A

SAMPLE NUMBER: 2

Sample Description: Gray fine SAND

<i>SIEVE NO.</i>	<i>WEIGHT RETAINED</i>	<i>% RETAINED</i>	<i>% PASSING</i>
<i>1 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>3/4 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>1/2 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>3/8 in.</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>4</i>	<i>0.0</i>	<i>0.0</i>	<i>100.0</i>
<i>10</i>	<i>0.3</i>	<i>0.1</i>	<i>99.9</i>
<i>20</i>	<i>0.7</i>	<i>0.3</i>	<i>99.7</i>
<i>40</i>	<i>1.4</i>	<i>0.6</i>	<i>99.4</i>
<i>60</i>	<i>3.9</i>	<i>1.7</i>	<i>98.3</i>
<i>80</i>	<i>13.2</i>	<i>5.9</i>	<i>94.1</i>
<i>100</i>	<i>58.1</i>	<i>26.0</i>	<i>74.0</i>
<i>140</i>	<i>195.8</i>	<i>87.5</i>	<i>12.5</i>
<i>200</i>	<i>218.3</i>	<i>97.6</i>	<i>2.4</i>

Boulders	GRAVEL		SAND			FINES	
	Coarse	Fine	Coarse	Medium	Fine	Silt Sizes	Clay Sizes

