

TEST BORING REPORT

HOLE NO. LB-12PROJECT: LONGROAT KEYCLIENT: ATMCONTRACTOR: TETFILE NO. 8102SHEET NO. 1 of 1

LOCATION: _____

ELEVATION: _____

DATE START: 3-12-89DATE FINISH: 3-12-89DRILLER: JAYINSPECTOR: MBR

GROUNDWATER

DEPTH TO:


CASING

SAMPLER

CORE
BARREL

DATE	TIME	WATER	BOTTOM OF CASING	BOTTOM OF HOLE
3/12	10:28 AM	+0.6'		

TYPE:		SPT	
SIZE I.D.:		1 3/8"	
HAMMER WT.:		140 #	
HAMMER FALL:		30"	

DEPTH	SAMP. NO.	CASING BLOWS PER FOOT	SAMPLER BLOWS PER 6 INCHES	SPT BLOWS PER FOOT	STRATA CHANGE	FIELD CLASSIFICATION AND REMARKS
						WATER DEPTH 6'8" @ 8:35 AM (START) WATER DEPTH 7'4" @ 10:20 AM (FINISH)
5						
	1		5	13		
			8			
			9			
			15			
			10	24		
10	2		14			
			20			
			7			
			8	32		
	3		24			
			37			
			7			
	4		13	42	SP	
			24			
			24			
15			15			
			14	46		
	5		32			
			35			
			9			
	6		16	35		DENSE GREY VERY FINE GR. SAND W/ TRACE OF SHELL FRAG.
			19			
			30			
			10			
20			15	35		
	7		20			
			31			
			7			
	8		12	24		COMPACT LT. GREY VERY FINE GR. SAND
			12			
			18			
			7			
	9		7	11		COMPACT GREY/BROWN SILT W/ TRACE OF VERY FINE GR. SAND & SHELL
			4			
			3			
25			2		SM	VERY LOOSE BROWNISH-GREY SILT W/ SOME VERY FINE GR. SAND & TRACE OF SHELL.
	10		1	3		
			2			
			6			
			14			
			14	34	SP/SM	DENSE GREY VERY FINE GR. SL. SILTY SAND W/ TRACE OF SHELL.
			20			
			18			
30						BOH @ 28-5'
BLOWS/FT.	DENSITY	BLOWS/FT.	CONSISTENCY	SAMPLE IDENTIFICATION		
0 - 4	VERY LOOSE	0 - 2	VERY SOFT	S	SPLIT SPOON	
4 - 10	LOOSE	2 - 4	SOFT	T	THIN WALL TUBE	
10 - 30	COMPACT/M. DENSE	4 - 8	FIRM	U	UNDISTURBED PISTON	
30 - 50	DENSE	8 - 15	STIFF	O	OPEN END ROD	
	VERY DENSE	15 - 30	VERY STIFF	W	WASH SAMPLE	